

In the claims

1. (Currently Amended) A graphical data-compressor for compression of received, arbitrary graphical data for subsequent transmission, said graphical data-compressor comprising:

an input for reception of said received arbitrary graphical data,

an analyzer linked to said input and operable for analysis of said received arbitrary graphical data into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms,

a three-dimensional scene describer, linked to said analyzer and configured for description of said at least some of said constituent geometrical parts as a procedural description of said received arbitrary graphical data, where said three dimensional scene describer further being configured such that said procedural description comprises a high level three dimensional functional form representing one of said constituent geometrical parts, and

a transmitter linked to said procedural scene describer for transmission of said procedural description.

2. (Original) A graphical data-compressor as claimed in claim 1, further comprising an indexer positioned between said analyzer and said transmitter, for indexing said analytic description into an indexed description.

3. (Original) A graphical data-compressor as claimed in claim 1 wherein said arbitrary graphical data is in a format selected from a polygonal graphic representation, a point cloud, an ordered piecewise mesh, or (piecewise) polynomial and rational forms and polynomial, rational and freeform functions.

4. (Previously Presented) A graphical data-compressor as claimed in claim 1 wherein said analyzer for analysis of said graphical data into constituent geometrical parts comprises a pattern matcher.

5. (Original) A graphical data-compressor as claimed in claim 1 wherein said constituent geometrical part is a predetermined shape, and said analytic description comprises a functional representation of said predetermined shape.

6. (Original) A graphical data-compressor as claimed in claim 1 wherein said functional representation comprises a basic underlying shape together with parameters.

7. (Original) A graphical data-compressor as claimed in claim 6 wherein said received arbitrary input data comprises a plurality of data points in space.

8. (Original) A graphical data-compressor as claimed in claim 7 wherein said input comprises an applicator for applying a surface fitting function to fit said plurality of data points in space, thereby to represent said plurality of data points in a format suitable for said analyzer.

9. (Canceled)

10. (Original) A graphical data-compressor as claimed in claim 5, wherein said predetermined shape is selected from any one of a group comprising lines, curves, planar freeform surfaces, surfaces of revolution, spherical faces, conical faces, cylindrical faces, torroidal faces, ruled surfaces, extrusion surfaces, sweep surfaces, additive combinations thereof and trimmed combinations thereof.

11. (Previously Presented) A graphical data-compressor as claimed in claim 10 wherein said scene describer is operable to select said predetermined shape for said constituent geometrical part by analysis of said constituent geometric part to determine fulfillment of conditions associated with said predetermined shape.

12. (Original) A graphical data-compressor as claimed in claim 10 wherewith said predetermined shape is modifiable by trimming.

13. (Previously Presented) A graphical data-compressor as claimed in claim 5, wherewith said procedural description comprises at least a label of an underlying shape and parameters for adapting said underlying shape to reconstruct an original shape.

14. (Original) A graphical data compressor as claimed in claim 13, wherein said parameters comprise at least one of a group comprising an orientation, a scale, dimensional parameters and a location.

15. (Original) A graphical data-compressor as claimed in claim 14 wherewith said label is an index.

16. (Currently Amended) A graphics decompressor, comprising:
a receiver for reception of arbitrary graphical data, analyzed into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms, and are described in a three dimensional functional form ; and

| a three-dimensional geometry evaluator, following said receiver, configured for evaluation of said graphical data in respect of a predetermined set of shapes and forms stored at said decompressor; and

| a piecewise linear surface approximator following said geometry evaluator, configured for reconstruction of said evaluated data on a piecewise basis, into geometrical entities.

17. (Original) A graphics decompressor as claimed in claim 16, wherein said compressed functional form comprises elements having a basic shape associated with parameters.

18. (Original) A graphics decompressor as claimed in claim 17, wherein said reconstruction into geometrical entities is at a selectable resolution level.

19. (Original) A graphics decompressor as claimed in claim 18, said resolution level being selectable in accordance with a context of the data within a scene.

20. (Original) A graphics decompressor as claimed in claim 19, said context being a relationship of the data to a background and a foreground within the scene.

21. (Original) A graphics decompressor as claimed in claim 18, said selectable resolution level being determinable by available computer resources.

22. (Original) A graphics decompressor as claimed in claim 18, said available computer resources being any one of a group comprising memory availability, processor capability, and available processing time.

23. (Original) A graphics decompressor as claimed in claim 17 wherein said predetermined shape is selected from a list comprising lines, curves, planar freeform surfaces, surfaces of revolution, spherical faces, conical faces, cylindrical faces, torroidal faces, ruled surfaces, extrusion surfaces and sweep surfaces.

24. (Previously Presented) A graphics decompressor as claimed in claim 16 wherein each of said predetermined shape and form in said set is trimmable with a further predetermined shape and form from said set.

25. (Currently Amended) An analytic form describer for describing constituent geometrical parts of arbitrary graphical data as an analytic description, said analytic form describer comprising:

a register of predetermined shapes and forms, each shape or form being associated with an analytic description, and

an analytic form fitter configured for associating said predetermined shapes and forms with said geometrical parts, said analytic form fitter further comprising functionality for fitting ~~configured to fit~~ said constituent geometrical parts of arbitrary

graphical data with functions selected from a group comprising Bezier freeform functions, B-spline freeform functions, NURBS, piecewise polynomial equations and rational equations, whereby said analytic form fitter is usable to provide a respective analytic description and a description such that a corresponding predetermined form is modifiable using a respective selected function to recover a respective constituent geometric part.

26. (Previously Presented) An analytic form describer as claimed in claim 25, wherein said predetermined shapes and forms are selected from a group comprising lines, circles, planar surfaces, spherical surfaces, conical surfaces, cylindrical surfaces, torroidal surfaces, surfaces of revolution, ruled surfaces, extrusion surfaces and sweep surfaces, and additive and trimmed combinations thereof.

27. (Canceled)

28. (Currently Amended) A system for analysis, compression, transmission and decompression of arbitrary graphical data, the system comprising:

a graphical data-compressor for compression of received, arbitrary graphical data, said graphical data-compressor comprising:

an input for reception of arbitrary graphical data,

an a three dimensional analyzer, linked to said input, for analysis of and configured to analyze said received arbitrary graphical data into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms,

a describer, linked to said analyzer, for configured to provide a description of said constituent geometrical parts as ~~an~~ a procedural description, where said procedural description comprises a at least one high level three dimensional functional form representing at least one of said constituent geometrical parts ; and

a transmitter, linked to said analyzer, for transmission of said procedural description over a data link;

said system further comprising a graphical data decompressor for decompression of said procedural description into geometric entities, the decompressor comprising:

a receiver for reception of said procedural description from said data link, and

a geometry evaluator ~~for evaluating~~ configured to evaluate said procedural description in terms of high-level functional forms, thereby to decompress said compressed graphical data descriptions.

29. (Original) A system as claimed in claim 28, further comprising an indexer linked between said analyzer and said transmitter, said indexer for indexing said analytic description into an indexed description.

30. (Original) A system as claimed in Claim 28 wherein said decompressor further comprises a piecewise linear surface approximator.

31. (Original) A system as claimed in claim 28, wherein said data link is selected from a group comprising: a LAN, WAN, the Internet, a dedicated land link, a dedicated link through the atmosphere, a radio-wave link, and a microwave link.

32. (Currently Amended) A method for compressing arbitrary graphical data, comprising:

analyzing said arbitrary graphical data into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms,

describing said constituent geometrical parts as a procedural description for formation of said constituent geometrical parts of said arbitrary graphical data, where said procedural description for formation of said constituent geometrical part comprises a at least one high level three dimensional functional form representing at least one of said constituent geometrical parts such that said constituent geometrical parts are recoverable by applying said high level three dimensional functional form to said procedural description; and

transmitting said procedural description.

33. (Previously Presented) A method for compressing arbitrary graphical data as claimed in claim 32, comprising indexing said procedural description into an indexed description prior to transmission.

34. (Previously Presented) A method for compressing arbitrary graphical data as claimed in claim 32, wherein said arbitrary graphical data is received as a representation selected from a polygonal graphic representation, a point cloud representation and an ordered piecewise linear mesh.

35. (Original) A method for compressing arbitrary graphical data as claimed in claim 32, wherein said analyzing said arbitrary graphical data into constituent geometrical parts comprises pattern matching.

36. (Previously Presented) A method for compressing arbitrary graphical data from a first computer as claimed in claim 32, wherein said describing comprises representing by procedural representation.

37. (Original) A method for compressing arbitrary graphical data as claimed in claim 32, wherein said arbitrary geometrical data comprises a plurality of data points.

38. (Original) A method for compressing arbitrary graphical data as claimed in claim 32, wherein said describing comprises matching with a predetermined shape.

39. (Original) A method for compressing arbitrary graphical data as claimed in claim 38, wherein said matching with a predetermined shape comprises matching with a shape selected from a group comprising: lines, curves, planar freeform surfaces, surfaces of revolution, spherical faces, conical faces, cylindrical faces, torroidal faces, ruled surfaces, extrusion surfaces and sweep surfaces and additive combinations thereof.

40. (Original) A method for compressing arbitrary graphical data as claimed in claim 38, wherein said matching further comprises modifying said predetermined shape by trimming.

41. (Original) A method for compressing arbitrary graphical data as claimed in claim 32, wherewith said compressing comprises encoding as a label and parameters.

42. (Original) A method for compressing arbitrary graphical data as claimed in claim 41, wherewith said encoding further comprises labeling with a label selected from a predetermined index of labels.

43. (Currently Amended) A method for decompressing a procedural description of graphical data, said ~~functional-procedural~~ description being in terms of high-level functional forms and associated parameters such that said graphical data is recoverable by applying said procedural description to said high level functional forms modified by said associated parameters, the method comprising:

carrying out said recovery by evaluating said procedural description in terms of said plurality of high-level functional forms, and wherein said functional forms being are selected from a group comprising: Bezier freeform functions, B-spline freeform functions, NURBS, piecewise polynomial equations and rational equations, said parameters being parameters of said functional forms;

and

generating geometric entities using said evaluation ~~where at least some of said geometric entities comprise predetermined~~ thereby to recover originally compressed shapes and forms.

44. (Previously Presented) A method for decompressing a procedural description of graphical data as claimed in claim 43, wherein said generating comprises converting said evaluated procedural format into a piecewise linear surface approximation.

45. (Previously Presented) A method for decompressing a procedural description of graphical data as claimed in claim 44, further comprising converting said piecewise linear surface approximation into polygonal geometry.

46. (Currently Amended) A graphical data-compressor for compression of received, arbitrary graphical data for subsequent transmission, said graphical data-compressor comprising:

an input for reception of said received arbitrary graphical data,

an analyzer linked to said input and operable for analysis of said received arbitrary graphical data into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms,

a three dimensional scene describer, linked to said analyzer and configured for description of said at least some of said constituent geometrical parts as a procedural description of said received arbitrary graphical data, where the three-dimensional scene describer further being configured such that said procedural description comprises a high level three dimensional functional form representing at least one of said constituent geometrical parts; and

a geometrical part compressor operatively associated with said scene describer and said analyzer, for reduction of constituent geometric parts not described by said describer, into a reduced quantity of data, such that both three dimensional geometric data which corresponds to said predetermined data and which does not correspond to said predetermined data is compressible.

47. (Previously Presented) A graphical data compressor according to claim 46, wherein said geometrical part is expressible as at least one spline having knots and wherein said geometrical part compressor comprises a knot remover for identifying and removing knots having no effect on reproduction of the part.

48. (Previously Presented) A graphical data compressor according to claim 46, wherein said geometrical part is expressible as at least one spline having knots, the geometrical part compressor having a pattern identifier for identifying patterns of knots and an indexer for replacing each identified pattern with an index.

49. (Original) A graphical data compressor according to claim 46, the geometrical part compressor comprising a least squares approximator reducing said geometrical part into a least squares approximation.

50. (Previously Presented) A graphical data compressor according to claim 46, the geometrical part compressor having a degree of reduction identifier for identifying redundancy and a reducer for reducing said constituent geometric parts to give a minimal polynomial degree required for correct reproduction of said constituent geometric parts.

51. (Currently Amended) A graphical data-compressor for compression of received, arbitrary three dimensional (3D) graphical data for subsequent transmission, said graphical data-compressor comprising:

an input for reception of said received arbitrary 3D graphical data,

an analyzer linked to said input and operable for analysis of said received arbitrary 3D graphical data into constituent geometrical parts, where at least some of said constituent geometric parts comprise predetermined shapes and forms,

a three dimensional scene describer, linked to said analyzer and configured for description of said at least some of said constituent geometrical parts as a procedural description of said received arbitrary 3D graphical data, ~~where the three dimensional scene describer further being configured such that~~ said procedural description comprises a high level three dimensional functional form representing one of said constituent geometrical parts ; and

a transmitter linked to said procedural scene describer for transmission of said procedural description.